

	Hits	Search Text	DBs
1	0	((partial and full) near5 (scan\$5 displ\$5)) and (subframe subfield)	EPO; JPO; DERWENT; IBM_TDB
2	2	((partial and full) adj4 (scan\$5 displ\$5)) with (subframe subfield)	USPAT; US-PGPUB
3	2	((partial and full) adj4 (scan\$5 displ\$5)) same (subframe subfield)	USPAT; US-PGPUB
4	12	((partial and full) near5 (scan\$5 displ\$5)) and (subframe subfield)	USPAT; US-PGPUB
5	4	((partial and full) adj4 (scan\$5 displ\$5)) and (subframe subfield)	USPAT; US-PGPUB
6	4	((partial) adj4 (scan\$5 displ\$5)) with (subframe subfield)	USPAT; US-PGPUB
7	10	((partial whole) adj4 (scan\$5 displ\$5)) with (subframe subfield)	USPAT; US-PGPUB
8	3	((partial and (full whole)) adj4 (scan\$5 displ\$5)) with (subframe subfield)	USPAT; US-PGPUB
9	3	((partial and (full whole)) near5 (scan\$5 displ\$5)) with (subframe subfield)	USPAT; US-PGPUB
10	0	((partial and (full whole)) near5 (scan\$5 displ\$5)) with (subframe subfield)	EPO; JPO; DERWENT; IBM_TDB
11	0	((partial and (full whole)) near5 (scan\$5 displ\$5)) and (subframe subfield)	EPO; JPO; DERWENT; IBM_TDB
12	16	((partial and (full whole)) near5 (scan\$5 displ\$5)) and (subframe subfield)	USPAT; US-PGPUB

	Hits	Search Text	DBs
13	1988	((partial and (full whole)) near5 (scan\$5 displ\$5))	USPAT; US-PGPUB
14	564	((partial with (full whole)) near5 (scan\$5 displ\$5))	USPAT; US-PGPUB
15	11	((partial with (full whole)) same (scan\$5 displ\$5)) and (subframe subfield)	USPAT; US-PGPUB
16	4	((partial with (full whole)) near5 (scan\$5 displ\$5)) and (subframe subfield)	USPAT; US-PGPUB
17	5	((partial with (full whole)) with (scan\$5 displ\$5)) and (subframe subfield)	USPAT; US-PGPUB
18	6	((partial with (full whole)) same (scan\$5 displ\$5)) and (subframe subfield)) not (((partial with (full whole)) with (scan\$5 displ\$5)) and (subframe subfield))	USPAT; US-PGPUB
19	580	((partial near5 (full whole)) near5 (scan\$5 displ\$5))	USPAT; US-PGPUB
20	262	((partial near5 (full whole)) adj5 (scan\$5 displ\$5))	USPAT; US-PGPUB
21	109	((partial with (full whole)) adj (scan\$5 displ\$5))	USPAT; US-PGPUB
22	12	((partial near5 (full whole)) adj (scan\$5 displ\$5))	EPO; JPO; DERWENT; IBM_TDB
23	22	((partial with (full whole)) adj (scan\$5 displ\$5)) not (((partial near5 (full whole)) adj (scan\$5 displ\$5)))	EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
24	24	((partial with (full whole)) adj (scan\$5 displ\$5))	EPO; JPO; DERWENT; IBM_TDB
25	61	((partial near5 (full whole)) adj (scan\$5 displ\$5))	USPAT; US-PGPUB
26	85	((partial with (full whole)) adj (scan\$5 displ\$5))) not (((partial near5 (full whole)) adj (scan\$5 displ\$5)))	USPAT; US-PGPUB
27	1	6028573.pn.	USPAT; US-PGPUB
28	0	((partial and full) near5 (scan\$5 displ\$5)) with (scan\$5 near6 (disabled enabled))	EPO; JPO; DERWENT; IBM_TDB
29	1	((partial and full) near5 (scan\$5 displ\$5)) with (scan\$5 near6 (disabled enabled))	USPAT; US-PGPUB
30	4	((partial and full) with (scan\$5 displ\$5)) same (scan\$5 near6 (disabled enabled))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	4	((partial and full) with (scan\$5 displ\$5)) same (scan\$5 near6 (disabled enabled))	USPAT; US-PGPUB
32	0	((partial and full) with (displ\$5)) same (scan\$5 near6 (disabled enabled))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	13	((partial and full) with (displ\$5)) and (scan\$5 near6 (disabled enabled))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
34	56	((partial) with (displ\$5)) and (scan\$5 near6 (disabled enabled))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	23	((partial) with (scan\$5 displ\$5)) same (scan\$5 near6 (disabled enabled))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	2	((display adj off) with (scan\$5 displ\$5)) same (scan\$5 near6 (disabled enabled))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB